



IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Bernhard Sander et al.
SERIAL NO.: 10/734,424
FILED : December 12, 2003
FOR : ULTRASOUND COUPLING
EXAMINER: Ernesto Garcia GROUP: 3679

Mail Stop **AMENDMENT**
Commissioner of Patents
P.O. Box 1450
Alexandria, V.A. 22313-1450

ELECTION

Sir:

In response to the Election Requirement dated March 29, 2005 the applicants respond as follows:

The species of Figs. 1 and 3a as listed in the Office Action are elected, however, it is questioned whether the combination of Figs. 1 and 3a is correct, since the specification indicates in Fig. 1 that "The contact means 4a has a plurality of spaced, axially directed pointform contact tips 6", note the last line on page 4 of the specification. In Fig. 3a the contact tip is annular while in Fig. 3b the contact tips 6 are spaced apart.

Further, in the specification at page 3, lines 8 and 9, "Linear is not limited to rectilinear but may be curvilinear or annular".

The applicants believe that the election should be the species of Figs. 1 and 3b and the claims readable on the elected species are claims 1, 2, 3, 7, and 8.

It is believed that claim 1 is generic and covers all of the species disclosed and claimed.

A favorable action on the application is respectfully solicited.

Respectfully submitted,

By: David Toren

David Toren
Reg. No. 19,468

Dated: April 22, 2005

SIDLEY AUSTIN BROWN & WOOD, LLP
Intellectual Property Group
787 Seventh Avenue
New York, NY 10019
(212) 839-7365

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, V.A. 22313 on: April 22, 2005.

Wm. H. Newton